Plant Disease Reporter

VOLUME 61
NUMBER 13
INDEX 1977



UNITED STATES
DEPARTMENT OF
AGRICULTURE

AGRICULTURAL
RESEARCH
SERVICE

PLDRA4 61(13) 1089-1116 (1977)
ISSUED APRIL 1978

For sale by the Superintendent of Documents, U.S. Government Printing Office,
Washington, D.C. 20402 Price $2 (single copy). Subscription Price:
$23 per year; $6 additional for foreign mailing.

Issued by

APPLIED PLANT PATHOLOGY LABORATORY
Plant Protection Institute

Beltsville Agricultural Research Center, Beltsville, Maryland
Volume 61, Number 13

AUTHOR INDEX

ABAWI, G. S., (285), 901
ABDEL-RAHMAN, M., 106, 473
ABO-EL-DAHAB, M. K., (963)
ABO EL-NIL, M. M., (243)
ADAMS, P. B., 722
AHMAD, M., (48)
AHMED, JASIM M., 1086
ALBRECHTSEN, R. S., (1057)
ALLEN, WAYNE R., 84
ALLISON, J. R., (192)
ALM, K. R., (522)
ALVAREZ, A. M., 731
AL-ZARARI, A. JAWAD, (994)
ANDERSON, NEIL A., 140
ANDERSON, ROBERT L., 422
ANDREWS, C. H., (616)
ANZALONE, L., Jr., 190
APT, W. J., (489), (919), (978)
ARAGAKI, M., 943
ARAI, KENZO, (142)
ARAUJO, L., (616)
ARMSTRONG, JUDITH M., 1060
ARNESON, ELIZABETH, 619
ARTHUR, JOHN J., (295)
ASHRAF, M., (953)

BAILEY, D. L., (579)
BANDYOPADHYAY, S., (185)
BANTTARI, E. E., (280)
BARKSDALE, T. H., 63, (811)
BARNETT, O. W., 203
BARNETT, R. D., (773)
BATISTA, MARIA F., (939)
BAXTER, L. W., Jr., 341
BELCHER, JANESE V., 525
BENIWAL, S. P. S., (894)
BERNIER, C. C., (1051)
BERRY, FREDERICK H., 378
BERTRAND, P. F., 890
BEUTE, M. K., (300), (408)
BEWAJI, OLADOKUN, 351
BHATNAGAR, S. S., 894
BHATTACHARYA, N. K., (806)
BIRCHFIELD, W., (190)
BIRKHOLZ-LAMBRECHT, A. F., 238
BISESSAR, S., 961
BLAIR, HAROLD A., 481
BLANCHARD, ROBERT O., (687)
BLANCO, M. H., 413
BLAZQUEZ, C. H., 1002
BLUE, R. L., (135)
BOCKHOLT, A. J., (563)
BOLANDER, W. J., 743
BOLKAN, H. A., 939
BOSE, E., (792)
BRAUN, A. J., (422)
BRAVERMAN, S. W., 332, 360, 463
BROWN, G. ELDON, (546), (788)
BURKE, D. W., (175)
BURKHARDT, E. C., (984)
BURTON, G. W., (1013)

CALAVAN, E. C., (135)
CAMPANA, R. J., (424)
CAMPBELL, R. N., (66)
CARROLL, R. B., 12
CARVER, R. B., (713)
CASPER, D. H., (987), (1071)
CASTAÑO, M., (1017)
CASTRO, M. A. SANCHEZ, (1082)
CHAKRAVARTI, B. P., (334), (1080)
CHAKRAVARTY, D. K., (511)
CHALKLEY, J. H., (167)
CHANDRA, S., (362)
CHANG, CHIN-MEI, 1077
CHATER, CLIFFORD S., (626)
CHEN, M. H., (1074)
CHENG, Y. H., (80)
CHO, EUI KYOO, 313
CHO, J. J., 489, 783
CHOU, C. K. S., 101
CHUNG, BONG JO, (313)
COBB, A. C., (901)
COHEN, MORTIMER, (572), 717
COHN, E., 466
COLBERT, T. R., (413)
CONOVER, C. A., (532)
CONWAY, K. E., 262
COOK, R. JAMES, 96, (752)
COTHER, E. J., 736
COYNE, DERMOT P., 226
CRADDOCK, J. C., (632)
CRAIG, JEWEUS, 563
CRAVEN, M. M., (484)
CROSIER, D. C., (901)
CSONKA, ELIZABETH, (879)
CUPERTINO, F. P., (939)
CUTHBERT, F. P., Jr., (741)

da GRAÇA, J. V., (358)
DAINES, ROBERT H., 835
DALE, J. L., 319

DAMSTEEGT, VERNON D., 179
DAVIS, D. D., 640, (870)
DAVIS, S. H., Jr., (209)
DEBROT, E. A., 628
DEHNE, H. W., (266)
DEMPSEY, A. H., (684)
DEMSKI, JAMES W., 146, 167
de UZCÁTEGUI, RAFAELA C., (628)
DEWEY, W. G., 1057
DIANESE, J. C., (939)
DIAS, HUMBERTO F., 24
DICKERSON, O. J., 1054
DICKSON, M. H., (285)
DIOMANDE, MAMADOU, 408
DIRKS, V. A., (251)
DORWORTH, C. E., 887
DRIVER, CHAS. H., (481)
DUFFUS, J. E., (248), (492)
DUKES, P. D., (158), (741)
DUNLEAVY, J. M., 32, 661
DURBIN, R. D., (201)

EASTON, G. D., 579, 1064
ELGINDI, D. M., (669)
EL-GOORANI, M. A., 963
ELLIS, M. A., (213), 1006
EL-WAKIL, M. A., (963)
EMMATTY, D. A., (386)
ENGLISH, HARLEY, (351)
EVANS, D. W., (337)
EVANS, W. D., (222)

FAGAN, S. G., (341)
FALK, B. W., 492
FARLEY, J. D., (386)
FAUQUET, C., 443
FELDMAN, A. W., 546
FELDMAN, J. M., (905)
FENN, P., (201)
FERY, R. L., 741
FILER, T. H., Jr., (577)
FILIP, GREGORY M., 708, 1083
FLOWER, FRANKLIN B., (295)
FLOWERS, R. A., (436)
FORER, L. B., 712
FRAME, ROBERT E., (970)
FREDERIKSEN, RICHARD A., (563), (657)
FREEMAN, T. E., (262)
FREYTAG, ROBERT E., (478), (607)
FROSHEISER, F. I., 115

GABRIELSON, R. L., 118
GALLIAN, J., (166)
GÁLVEZ, G. E., 1017
GARCIA, VICTORIO S., 820
GARDNER, J. M., (321)
GARREN, KENNETH H., (495)
GASKIN, T. A., 588
GHABRIAL, S. A., 690
GHOSE, M. R., (806)
GIBSON, LESTER P., 402
GIBSON, P. B., (203)
GILL, D. L., 230, 584
GILL, H. S., 560, 562
GILMAN, EDWARD F., (295)
GILPATRICK, J. D., (654)
GLOVER, L. B., (48)
GOETHALS, M., (1010)
GOHEEN, A. C., (909)
GONZALES, R., (135)
GOOD, G. E., (546)
GOTO, MASAO, 142
GOUGH, F. J., 597
GOULD, CHARLES J., (879)
GOURLEY, L. M., 616
GOVINDU, H. C., (1029)
GRACIA, OLGA, 905
GRAHAM, J. H., 337, (565)
GRAY, P. M., 90
GREATHEAD, A. S., (555)
GREEN, R. J., Jr., 373
GRIFFIN, GARY J., (495)
GROGAN, R. G., (555)
GROTH, J. V., 756
GUDAUSKAS, ROBERT T., 468
GUMPF, D. J., 325
GUTHRIE, J. W., (90)
GUZMAN, V. L., (767)
GWIN, GEORGE H., (154)

HALFON-MEIRI, ALIZA, 867
HALISKY, P. M., 48
HAMLEN, R. A., 532
HAMPTON, R. O., 235
HANKS, R. W., (546)
HANOUNIK, S. B., 431
HARAHAP, Z., (307)
HARDISON, JOHN R., 845
HARRI, J. A., 649
HASANUDDIN, A., (294)
HAYES, ED M., 778
HEGDE, R. K., 588
HEICHEL, G. H., 149
HEINER, R. E., (926)
HEPPERLY, PAUL R., (122)
HIBBEN, C. R., 192
HICKEY, K. D., (20)
HILL, JOHN H., 968
HILL, R. F., (849)
HIRUKI, C., (1074)
HITE, R. E., (37), 273
HOCH, H. C., (500)
HOGABOAM, G. J., (88)
HOLMES, FRANCIS W., 626
HONDA, YUICHI, 1036, 1041
HOOKER, A. L., (1077)
HOPPER, B. E., (590)
HORN, N. L., (713)
HOUSTON, D. R., (268)
HOWELL, R. K., 565
HOWELL, W. E., 217, 841
HUMMER, D. K., (949)

HUSAIN, S. ISRAR, 994, (1086)
HUSSEY, R. S., (525)
HYLIN, J. W., (731)

INGBER, BRUCE F., (208)
INGRAM, E. G., (29)

JARVIS, W. R., 251, 728
JAVAID, I., 953
JAYNES, RICHARD A., 1032
JENSEN, HAROLD J., (1060)
JOHNSON, A. W., 1013
JOHNSON, D. A., 280
JOHNSON, D. W., 43
JOHNSON, H. G., (999)
JOHNSON, M. G., (413)
JOHNSON, P. W., (251)
JOHNSTON, H. W., 981
JONES, A. L., (830), (1022)
JONES, E. R., (12)
JOSHI, L. M., (454)
JOYNER, B. G., 749
JUDD, ROY W., (668)

KADO, C. I., 321
KAMEL, A. H., (926)
KAPPELMAN, A. J., Jr., 703
KAROLCZAK, W., (346)
KASIMATIS, A. N., (422)
KEIM, R., 182
KEMP, W. G., 393
KERNKAMP, M. F., 187
KHAN, MUSHTAQ A., 679
KHANNA, K. K., 362
KHARBANDA, P. D., 1051
KHATUA, D. C., 185, 511
KILPATRICK, R. A., 93
KING, S. B., 770
KISTLER, B. R., 863
KITAJIMA, E. W., (1017)
KITTO, S. L., (594)
KLIEJUNAS, J. T., 290
KOIKE, H., 724
KOMMEDAHL, THOR, (162), 259, (827)
KONDO, FUSAO, (1029)
KONTAXIS, DEMETRIOS G., 397, 503
KOSHY, P. K., (760)
KRAUS SCH., HELMUTH, 976
KRIGSVOLD, DALE T., 495
KRING, J. B., (149)
KROLL, R., (187)
KRONLAND, W. C., (255)
KRUPINSKY, J. M., 632
KRYWIENCZYK, J., (887)
KUCHAREK, T. A., 71, (76)
KULIK, M. M., (867)
KUNTZ, J. E., (201)

LADIPO, J. L., 958
LAL, B. B., 334, 1080
LAMBE, R. C., (404)
LANDIS, THOMAS D., 188
LANGDON, O. GORDON, (916)
LARSEN, P. O., (386), (649), (749)
LASTRA, R., (628)
LEE, SOON HYUNG, (313)
LEE, THOMAS A., Jr., 60
LEONARD, K. J., (382), 914
LEONE, IDA A., 295
LEÓN-GALLEGOS, H. M., 1082
LESTER, D. T., (238)
LEWIS, J. A., 196, (538), 762
LIM, SUNG M., (122), (1077)
LIMA, J. ALBERSIO A., 864
LIN, YI-SHENG, 752
LINDERMAN, R. G., 1045
LLANO, AURELIO, 999
LOCKHART, B. E. L., 1010
LOCKWOOD, J. L., 458
LONG, D. L., (987), (1071)
LONGENECKER, J., (863)
LOONAN, DANIEL V., (4)
LOZANO, J. C., 644
LUCAS, L. T., (776)
LUEPSCHEN, N. S., (936)
LUKE, H. H., 773
LUKENS, RAYMOND J., (366)

MacSWAN, IAIN C., (672), (890)
MADUEWESI, J. N. C., (458)
MAGUIRE, J. D., (118)
MAGYAROSY, A. C., 248
MAITI, S. (185), (511)
MAITY, B., (806)
MANJI, B. T., (672), (792)
MANNING, WILLIAM J., 355
MARAMOROSCH, KARL, 1029
MARCUM, D. B., 555
MARKHAM, P. G., 342
MARKS, C. F., (84)
MARSHALL, H. G., (37), (273)
MARTIN, W. J., 158
MARTÍNEZ, CARLOS A., 256
MATHERON, M. E., (66)
MATSUOKA, K., (118)
MATTHEE, F. N., (612)
MAXWELL, DOUGLAS P., (679)
MAZUMDAR, J. N., 806
McCARTER, S. M., 129, 811
McCORNACK, A. A., 788
McCOY, RANDOLPH E., 154
McCRACKEN, F. I., 984
McELROY, F. D., 277
McINTOSH, D. L., 528
McINTYRE, JOHN L., (311), 366, (823)
McVEY, D. V., (987)
MERCER, P. C., 51, 55
MERKLE, O. G., (597)
MERRILL, W., (863)
MICHEL, L. J., 621
MIGNUCCI, JULIA S., 122
MILBRATH, G. M., 637
MILHOLLAND, R. D., 874
MILLER, D. E., 175

MILLER, H. N., 111
MILLER, P. M., 328
MILLER, RALPH, (801)
MILLER, VERNON L., 879
MILLER-JONES, D. N., 268
MILLIKAN, D. F., (346)
MILNE, D. L., (466)
MINK, G. I., (217), 398, 567, (841)
MINTON, N. A., 436
MIRCETICH, SRECKO M., 66, 931
MOLL, J. N., (358)
MOLLER, W. J., 422, 600, (931)
MONTGOMERY, G. B., 404
MOORE, B. J., (890)
MOREY, S. A., (773)
MORGAN-JONES, GARETH, (468)
MORRIS-KRSINICH, BRET A. M., 675
MORRISON, RICHARD H., 35, (968)
MORTON, H. L., 801
MOSHER, DANIEL G., (422)
MOUSSA, F. F., 669
MUEHLBAUER, F. J., (235)
MULANAX, M. W., (118)
MURDOCH, C. L., (919), 978
MURDOCH, C. W., 424

NAGARAJAN, S., 454
NAGLE, M. E., (579), (1064)
NAIR, R. RADHAKRISHNAN, (172)
NAVARRO, L., (135)
NAYLOR, VIRGINIA D., 382
NEELY, DAN, 370
NELSON, MERRITT R., (864)
NGUNDO, B. W., 991
NIELSEN, D. G., 699
NIELSEN, L. W., 1, 882
NOBORIKAWA, S. M., (943)
NOEGEL, K. A., (111)
NOLTE, PHILLIP, (591)
NOVACKA, H., 346
NUNEZ, JOSEPH, (588)
NYLAND, G., (931)

O'BANNON, J. H., 450
O'BRIEN, MURIEL J., (543)
OGATA, J. N., (731)
OGAWA, J. M., 672, 792
OHR, HOWARD D., 208
O'NEILL, N. R., 713
OOKA, J. J., 162
ORMROD, D. P., (222)
OSBORNE, W. W., (431)
OSMAN, F. M., (325)
OSTROFSKY, ANDREA, 512
OTTA, J. D., 536
OTTERBACHER, A. G., (232)
OWEN, M. G., (341)

PANAYOTOU, P. C., 815
PAPAVIZAS, G. C., (196), 538
PARKER, M. B., (436)
PARMETER, JOHN R., (50)
PARSONS, J. L., (567)
PARTYKA, R. E., (749)
PASCHAL, E. H., II, (1006)
PATEL, P. N., (390)
PATTON, R. F., (955)
PEADEN, R. N., (337)
PENGELLY, D. L., 201
PERCICH, J. A., (458)
PERIES, O. S., 946
PETERSEN, L. J., (792)
PETERSON, GLENN W., (512)
PETERSON, J. L., 209
PHIPPS, P. M., 300
PICKARD, C. M., (690)
PIIRTO, DOUGLAS D., 50
PINKERTON, JOHN N., (1060)
PINOCHET, J., 518
PIRIE, W. R., (431)
PLASKITT, K., (342)
POHRONEZNY, KEN, 386
POI, S., (185)
POLLACK, FLORA G., (208)
PORTER, D. M., 995
POTTLE, H. WILLIAM, 687
POVISH, W. R., (104)
POWELL, C. C., Jr., (649)
POWELL, P., 1006
POWERS, H. R., Jr., 916
PRAKASH, OM, 419
PRASAD, K. S. KRISHNA, (588)
PREECE, T. F., (268)
PRICE, T. V., 384
PRONOS, J., 955
PROVVIDENTI, R., (332), 500, 851
PURCELL, A. H., 514

RACKHAM, R. L., (890)
RAJPUT, C. B. S., 222
RAMOS, D. E., (600)
RAO, D. V., 1074
RAO, P. S., 294
RASKI, D. J., (1086)
RATCLIFFE, T. J., (129)
REDDY, M. KOTI, (172)
REILING, T. P., 827
REXRODE, CHARLES O., 970, 972
REYES, ANDRES A., 1067
RIAD, F. W., (669)
RIBEIRO, O. K., (560)
RICH, SAUL, 668
RIES, S. M., 232, 317
ROBERTS, BETTY J., 1048
RODRIGUEZ-KABANA, R., 29
ROELFS, A. P., 836, 987, 1071
ROISTACHER, C. N., 135, 594
RONCADORI, R. W., 132
ROSENBERGER, D. A., 830, 1022
ROTHMAN, P. G., (1071)
ROWAN, S. J., 609
ROWE, R. C., 807

ROYSE, D. J., (317)
RUSH, M. C., (307), (713)
RUSSELL, KENELM W., (859)

SAGLIO, P., (342)
SAMA, SHAGIR, (294)
SAMADDAR, K. R., (806)
SANBORN, R. R., (600)
SANDS, DAVID C., (149), (311), 823
SANTO, G. S., (743)
SARASWATHY, N., 172
SCHAREN, A. L., (632)
SCHARPF, R. F., (290)
SCHENCK, N. C., (80)
SCHICK, F. J., (351), (672)
SCHILLER, C. T., 213
SCHLUB, R. L., 470
SCHMITT, CHRIS G., 478, 607
SCHMITTHENNER, A. F., (470), (807)
SCHNATHORST, W. C., 909
SCHNEIDER, B. S., (707)
SCHNEIDER, C. L., 88
SCHOEN, J. F., 425
SCHOENEWEISS, D. F., 921
SCHÖNBECK, F., 266
SCHWARTZ, H. F., (226)
SCOTT, D. H., (605)
SCOTT, GENE E., (607)
SEMER, CHARLES R., IV, (694)
SEN, C., (185)
SHAHJAHAN, A. K. M., 307
SHAW, CHARLES G., III, 416
SHEARER, B. L., 438
SHEKHAWAT, G. S., 390
SHERMAN, KENNETH E., 284
SHERWOOD, R. T., 37, (273)
SHIGO, ALEX L., (687)
SHILLINGFORD, C. A., 797
SHRENI, V. C. DWADASH, (550)
SHRUM, R. D., (756)
SIDDARAMAIAH, A. L., (588)
SIDHU, S. S., 7
SIMONS, M. D., (621)
SINCLAIR, J. B., (213), (797)
SINGH, B. P., (550)
SINGH, PRITAM, (7)
SINGH, U. N., (419)
SINGLETON, L. L., (616)
SKELLY, JOHN M., (778)
SKILLING, DARROLL D., (422), 707, (887)
SLINGSBY, K., (728)
SMALLEY, E. B., (238)
SMILEY, R. W., 484
SMITH, H. J., 870
SMITH, R. S., Jr., (290)
SMITH, W. H., (424)
SMOLIK, J. D., 855
SMOOT, J. J., (788)
SMYLY, W. B., 577
SOSAMMA, V. K., 760
SOWELL, GROVER, Jr., 146, 684
SPIERS, A. G., 664
SPOTTS, R. A., 125, (694)
SPRINGER, J. K., (722)
SRIVASTAVA, B. N., (550)
SRIVASTAVA, K. M., 550
STACK, R. W., 521
STADNIUK, T. K., (166)
STAHL, F. J., 936
STANGHELLINI, MICHAEL E., 255
STATLER, GLEN D., 591
STEADMAN, J. R., (226)
STERLING, J. D. E., (981)
STEVENSON, W. R., 803
STEWART, D. M., 926
STEWART, E. L., 999
STIERS, D. L., (619)
STONE, A. R., 590
STONER, A. K., (63)
STOUFFER, R. F., 20
STRETCH, A. W., 605
STRIDER, D. L., 746
STUCKEY, R. E., (690)
SULLIVAN, J. A., (707)
SWAIN, R. H., (12)
SZKOLNIK, MICHAEL, 654

TASCHENBERG, E. F., (949)
TASHIRO, H., 919, (978)
TEEM, DAVID H., (468)
TEMPLE, P. J., (961)
TENNE, F. D., (213)
TERRELL, L. E., (699)
TEW, T. L., (280)
THIES, WALTER G., 859
THIRUMALACHAR, M. J., 543
THOMAS, C. A., 849
THOMAS, CLAUDE E., 375
THOMPSON, P. R., (590)
THORPE, H. J., (251)
THOUVENEL, J. -C., (443)
THURSTON, H. DAVID, (820)
THYR, B. D., 166
TIMIAN, R. G., 522
TOKI, TOMOHISA, (1041)
TOLER, ROBERT W., (60)
TOLIN, SUE A., (637)
TOMERLIN, A. T., (450)
TOWERS, BARRY, 477
TOWNSEND, R., (342)
TROUP, P. A., (393)
TROUT, J. RICHARD, (835)
TSAI, JAMES H., 304, (1025)
TSCHANZ, ARNOLD T., (820)
TU, C. C., 80
TULEEN, DARLENE M., 657

UCHINO, MINORU, (142)
UYEDA, I., (398)
UYEMOTO, J. K., (422), 949

Van ALFEN, NEAL, (1032)

Van der SPUY, J. E., 612
Van VUUREN, S. P., 358
VARDARO, PAULA M., (355)
VASSEY, WORTH E., (879)
VESGA, BELÉN, (1017)
VIDAVER, ANNE, (827)
VILLALON, BEN, 503

WAGNER, V., (863)
WAITE, B. H., 15
WALDHER, J. T., (96)
WALKER, J. T., (192)
WALLA, W. J., 42
WALLIN, JACK R., 4
WALTERS, JAMES W., 419
WALTERS, NANCY R., (419)
WALTON, GERALD S., (668)
WATERWORTH, H. E., 104
WEATHERS, L. G., (325)
WEIDENSAUL, T. C., (699)
WEIR, LARRY C., (859)
WELSH, MAURICE F., (20)
WELTY, RONALD E., 508
WENE, E. G., (921)
WHITEAKER, G. P., (118)
WHITNEY, N. G., 379
WICKS, T., 447
WILCOX, W. WAYNE, (50)
WILCOXSON, ROY D., (438)
WILLIAMS, P. H., (118)
WILLIAMS, WAYNE T., 899
WILLS, W. H., (404)
WILSON, CHARLES L., 694
WINDELS, CAROL E., (259)
WITCHER, WESLEY, (341), (976)
WOOD, L. S., (536)
WOODRUFF, W. C., (187)
WUTSCHER, H. K., 572

YORK, D. W., 285
YOUNG, L. D., 776
YOUNG, R. H., (572)
YOUNG, T. R., 76
YUNOKI, TOSHIFUMI, (1036), (1041)

ZAK, B., (43)
ZEITOUN, F., (1045)
ZENTMYER, G. A., (560)
ZETTLER, F. W., 243
ZEYEN, RICHARD J., (968)
ZITTER, T. A., 767, 1025
ZUBER, M. S., (413), (563)
ZUMMO, NATALE, 428, (770)

SUBJECT INDEX

Acer rubrum: wound invasion by Hymenomycetous fungi delayed by using Trichoderma harzianum, 687
Acrocylindrium oryzae: 307
Adonidia merrillii (see Veitchia merrillii)
Age:
  safflower: effects of age on susceptibility to Fusarium oxysporum f. sp. carthami, 849
  Scotch pine: sensitivity of needles to acute doses of sulfur dioxide is dependent upon needle age, 870
Ageratum conyzoides: alternate host for a viral agent causing Zinnia net yellow disease, 550
Agrobacterium tumefaciens: growth characteristics and interactions of, with Corynebacterium fascians, 963
Agrostis palustris:
  nematodes:
    Longidorus breviannulatus associated with a decline of bentgrass, 712
    survey of nematodes associated with putting green turf in Hawaii, 919
Air pollution (see Pollution, air)
Alfalfa:
  alfalfa mosaic virus disease: comparison of root development in infected, and in virus-free, plants, 115
  anthracnose: rapid determination of resistance to, 35
    winter survival of Colletotrichum trifolii in Delaware, 12
  bacterial leafspot: interaction of ozone with, 565
  Sclerotinia stem rot: first report of, in Nevada, 166
  spring black stem: first report of, in Nevada, 166
  Verticillium wilt: reported for first time in the U. S., 337
Alternaria:
  alternata (Alternaria tenuis): 351; 901
  brassicicola: 360
  macrospora: 208
  solani: 63; 106; 129; 473; 803
  spp.: 773
  tenuis (Alternaria alternata): 106; 351; 901
Ambrosia aphid (see Dactynotus ambrosiae)
American beachgrass (see Ammophila breviligulata)
Ammophila breviligulata:
  nematodes:

Meloidogyne sp.: host range of a Meloidogyne species infesting American beachgrass, 776
Subanguina radicicola: reported in New Jersey, on American beachgrass, 48
Ampelomyces quisqualis (Cicinnobolus cesatii): 728
Angelonia grandiflora: little leaf reported on, 588
Anguina microlaenae: 994; 1086
Anoda cristata: first report of Alternaria macrospora as a pathogen and as a possible agent for biological control of, 208
Anthracnose:
alfalfa: 13; 35; 106
banana: 797
Cassia occidentalis: 468
clover: 425
corn: 382
Fraxinus velutina var. glabra: 792
tomato: 803
walnut: 370; 378
Antibiotics:
oxytetracycline-HCl: treatment of lethal decline in palms, 154
potassium penicillin G: temperature and chemical effects upon soybean seed decay, 213
Aphanomyces euteiches: 762
Apium:
graveolens: new host for Meloidogyne incognita in Iraq, 994
graveolens var. dulce:
celery mosaic virus: reported in Argentina on celery and hemlock, 905
cucumber mosaic virus: reported on celery in Argentina, 905
Apple:
crown rot: determination of propagule density of Phytophthora cactorum in orchard soil, 528
rusty spot of peach: poor maintenance of apple trees linked with occurrence of, 835
scab: tolerance of Venturia inaequalis in Poland to benzimidazole-type fungicides, 346
union necrosis and decline: possibly caused by tomato ringspot virus, 20
Apricot: pruning wounds protected with benomyl and benzimidazole-type fungicides against infections caused by Eutypa armeniacae, 600
Arachis hypogaea (see Peanut)
Areca catechu: first report of inflorescence dieback, button shedding, and nut rot of betel nut being caused by Colletotrichum gloeosporioides, 172
Armillaria mellea: 416; 708; 955
epiphytotic reported in Winema National Forest, Oregon, 708
Ascochyta:
caricae: 731
rabiei: 736
Asparagus:
Fusarium rot: crown soaks and soil fumigation increase fern growth and reduce Fusarium infection, 355
rust: epidemic reported in California, 503
viruses of: isolation of three viruses from asparagus in Washington State, 398
Aster yellows disease: antibiotic treatment of infected barley, 522
Avena sativa (see Oats)
Azalea (see Rhododendron occidentale)
Aztec Indian berry (see Duchesnea indica)

Bacillus subtilis: 213; 543
Bacteria: unknown bacteria cause a kernel rot of corn in the Minnesota River Valley and in Ontario, 823
Bacterial:
blight:
cowpea: 390
Saintpaulia spp.: 1048
soybean: 458
leaf blight:
rice: 644
Stewart's bacterial leaf blight of corn (see Wilt, Stewart's bacterial)
leaf spot and blight of begonia: 649
spot:
pepper: 668; 684
tomato: 129
Bark cracking: etiology of bark cracking on Hevea brasiliensis, 946
Barley:
aster yellows disease: suppression of, with oxytetracycline-HCl, and tetracycline-HCl, 522
leaf spot: pathogenicity of Septoria avenae f. sp. triticea on wheat, barley, and rye, 438
oat blue dwarf virus: factors affecting symptom expression in infected barley, 280
yields: reduced by fungicide treatments with benomyl, carboxin, or thiabendazole, 1057
Bean (see Phaseolus)
Begonia:
bacterial leaf spot: cultivar resistance

to, and control of, Xanthomonas begoniae, 649
Belonolaimus longicaudatus: 1013
Biological control of:
Anoda cristata by Alternaria macrospora, 208
Cassia occidentalis by Colletotrichum dematium f. truncata, 468
Hymenomycetous fungi on red maple by Trichoderma harzianum, 687
Sphaerotheca fuliginea on cucumber by Ampelomyces quisqualis, 728
Bipolaris:
maydis: 914
spp.: 773
Blackberry (see Rubus sp.)
Black shank of tobacco: 366
Black spot disease of bananas: 939
Blight:
aerial:
soybean: 196; 713
bacterial blights (see Bacterial blight)
Botrytis blossom:
Dendrobium spp.: 943
chestnut:
Castanea dentata: 1032
citrus: 572
Coryneum:
peach: 672
early:
potato: 473
tomato: 63; 129; 803
fire:
blackberry: 232
fire:
pear: 936
flower:
azalea: 111
foliage:
periwinkle: 182
Fusarium leaf:
wheat: 836
fusiform:
Kentucky bluegrass: 484
late:
potato: 820
tomato: 899
leaf:
hawthorne: 370
sorghum: 657
petal:
azalea: 209
Phoma:
mango: 419
Phytophthora:
pepper: 668
periwinkle: 560
Sclerotinia:
peanut: 995
seedling:
flax: 140
southern:
tomato: 129; 341
southern corn leaf: 914
tomato: 1002
Blueberry:
red ringspot disease: development of highbush blueberry plants which are free from the red ringspot disease, 605
stem canker: tissue changes resulting from benomyl treatments, 874
Bluegrass (see Poa spp.)
Botryodiplodia solani-tuberosi: 543
Botryosphaeria:
corticis: 874
dothidea: 664
Botrytis:
cinerea: 736; 943; 1041
sp.: 736; 943
Boxwood (see Buxus)
Brassica:
campestris 'Span':
turnip mosaic virus: isolated from rape in Alberta, Canada, 1074
oleracea:
blackleg: the seedborne fungus, Phoma lingam, is inhibited by benomyl, 118
oleracea var.:
capitata:
Meloidogyne incognita: new pathogen of cabbage in Iraq, 994
gemmifera:
Alternaria leafspot: reactions of Brussel sprouts introductions to Alternaria brassicicola, 360
Brown spot:
maize: 334; 1080
soybean: 458
Buxus sempervirens cv. suffruticosa: symptoms and etiology of English boxwood decline, 404

Cabbage (see Brassica oleracea)
Cabuya (see Furcraea spp.)
Cajanus cajan: reduction of internal, seedborne, pathogenic fungi with benomyl, 1006
Calathea spp.: suppression of Radopholus similis with oxamyl or ethoprop, 532
Calonectria (Cylindrocladium): crotalariae: 300; 431; 495
Canker:
blueberry stem: 874
deep bark:
walnut: 321
Phytophthora:
oak: 66
pine pitch:
Pinus spp.: 976

Scleroderris (also see Gremmeniella abietina):
pine: 707; 887
stain:
sycamore: 984
stem:
Euonymus alatus: 921
Salix spp.: 664
Cantaloup: sporulation potential of Pseudoperonospora cubensis, and rate of development of downy mildew, on cultivars and breeding lines, 375
Capsella bursa-pastoris: reported as a new host for Anguina microlaenae, 994
Capsicum spp.:
bacterial spot of pepper: new sources of resistance to, 684
tobacco etch virus: resistance of Capsicum introductions to, 146
Carbon dioxide:
rapid, inexpensive anesthetization of insects, 284
stunting, and chlorosis in field crops adjacent to landfills attributed to, 295
Carica papaya: reduction of postharvest diseases with chlorothalonil, benomyl, or zinc ion-maneb in Hawaii, 731
Carrot:
aphids associated with the spread of carrot thin leaf and carrot motley dwarf viruses in Washington, 841
role of weeds, escaped carrots, and overlapping growing seasons in the perpetuation of carrot thin leaf and carrot motley dwarf viruses, 217
Carthamus tinctorius:
Fusarium wilt: age related to susceptibility of safflower cultivars to Fusarium oxysporum f. sp. carthami, 849
tobacco mosaic virus: infection of safflower by, 1010
Cassia occidentalis: etiology of anthracnose of coffee senna, 468
Castanea dentata: control of chestnut blight with injected MBC, 1032
Catharanthus roseus (Vinca rosea):
corn stunt: transmission of spiroplasmas from infected corn to periwinkle, 342
foliage blight: blight increased by shoot pruning and caused by Phytophthora parasitica, 182
Phytophthora blight: reported in California, 560
Cavariella aegopodii: 841
Celery (see Apium)
Centaurea rigida: new host for Anguina microlaenae in Iraq, 1086
Cephalosporium gramineum (Hymenula cerealis): 619
Ceratocystis:
fagacearum: 201; 970; 972
fimbriata: 882
fimbriata f. platani: 984
ulmi: 238; 424; 694
viability of conidia in chain saw oil, 424
Cercospora:
cruenta (Mycosphaerella cruenta): 741
kikuchii: 42
rodmanii: host specificity of, 262
sp.: 428
Cercosporella herpotrichoides: 96
Cereals: influence of seed treatments upon seedling emergence and growth rates, under different soil temperatures, 981
Chaetocnema pulicaria: 149
Chemicals:
calcium salts: effect on the suppression of Aphanomyces root rot in peas, 762
carbofuran: reduction of feeding by Chaetocnema pulicaria, and of incidence of Stewart's bacterial wilt, on corn, 149
citrate: a new bactericidal spray for controlling Erwinia amylovora, and Pseudomonas syringae on pear, 823
formaldehyde: a surface disinfectant for soybean seeds, 470
methane: causes stunting, and chlorosis in New Jersey field crops adjacent to landfills, 295
oxytetracycline hydrochloride: treatment of barley infected with aster yellows disease, 522
propylene oxide: a surface disinfectant of soybean seeds, 470
tartrate: reduction of Pseudomonas syringae and Erwinia amylovora on pear with, 823
tetracycline hydrochloride: treating aster yellows disease on barley, 522
Cherry, sweet: Monilinia fructicola tolerance to benomyl in New York, 654
Chickpea (see Cicer arietinum)
China, People's Republic of:
foliar fungal diseases of wheat in 1976, 836
viral resistance in 53 vegetable introductions from China, 851

Chokecherry: seasonal changes cause variable infection of chokecherry and peach by the X-disease agent, 1022
Chromelosporium fulvum: 93
Cicer arietinum: root-rotting fungi, isolated from chickpea, are controlled by thiram, thiram plus benomyl or captan, or BAY 47531, 736
Cichorium endivia: resistance to bidens mottle virus, 767
Cicinnobolus cesatii (Ampelomyces quisqualis): 728
Citron: sensitivity of Arizona 861, and 861-S-1, to mild isolates of citrus exocortis virus compared, 135
Citrus:
jambhiri: Rickettsialike bacterium found in trees affected by young tree decline and sand hill decline, 546
limon: control of Radopholus similis using either oxamyl, DBCP, or both in combination, 450
spp.:
blight: diagnosed by the zinc and phenolic concentrations in the wood, 572
trees grafted on Citrus macrophylla, C. aurantium, and the Cleopatra mandarin show no decline after ten years of growth, 717
citrus greening: controlled with trunk injections of tetracycline hydrochloride, 358
mold (blue and green): R23979, an experimental fungicide, controls benzimidazole-resistant Penicillium, 788
viruses: elimination of graft-transmitted citrus viruses by shoot-tip grafting in vitro, 594
Claviceps purpurea: 845
Climatic conditions: effects of temperature and rainfall on greenbug (Schizaphis graminum) populations in Texas and Oklahoma, 4
effects of temperature on reproduction of Trichodorus allius and Tylenchorhynchus nudus, and on sorghum growth when infected by these nematodes, 855
soil temperature influences effectiveness of seed treatments for cereals, 981
Clover (see Trifolium)
Cochliobolus:
lunatus (Curvularia lunata): 1082
sativus: 521; 953
Cocos nucifera: Haplaxius crudus (a planthopper) fails to transmit the causal agent of lethal yellowing, 304
Coffea arabica: first report of orange coffee rust in Nicaragua, 999
Colletotrichum:
dematium f. truncata: 468
gloeosporioides: 172; 731
graminicola: 382
musae: 797
sp.: 106
spp.: 803
trifolii: 12; 35; 425
truncatum: 42
Conifers:
root rot: Armillaria epiphytotic reported in Winema National Forest, Oregon, 708
damage caused by, and distribution of, Rhizina undulata, 859
Conium maculatum: celery mosaic virus reported on hemlock in Argentina, 905
Consinia stenocephala: new host for Anguina microlaenae in Iraq, 1086
Corchorus capsularis: Thanatephorus cucumeris isolate causes damping-off and leaf spots of jute, 80
Coriolus versicolor: 687
Corn:
anthracnose: survival of Colletotrichum graminicola in infected corn stalks in North Carolina, 382
bacterial stalk rot: first report of Erwinia chrysanthemi in South Dakota, 536
barley yellow dwarf virus: susceptibility of corn varieties to, 815
brown spot of maize: controlled with benomyl, BAS 3460 F, or oxycarboxin, 334
resistance in corn collections to Physoderma maydis in India, 1080
chlorosis and stunting: attributed to carbon dioxide and combustible gases (mostly methane) released by landfills, 295
common rust: effects on crop yield and quality, 256
common smut: southern Minnesota survey for smut in 1976, 259
downy mildew: resistance of maize genotypes to three Sclerospora species, 478
susceptibility of inbred lines to Sclerospora sorghi, 563
ecology: fungal communities in roots and stalks of hybrid field corn grown in Florida, 76
Fusarium stalk rot: survey of stalk rot in southern Minnesota, 259

kernel crown spot: new bacterial disease reported in the Minnesota River Valley, and in Ontario, 827
maize chlorotic dwarf virus: Maryland survey of, 179
maize dwarf mosaic virus: first report of, in Minnesota, 968
survey of, in Maryland, 179
southern corn leaf blight: races of Bipolaris maydis in the Southeastern U. S. from 1974 to 1976, 914
stalk rot: Fusarium moniliforme infection not correlated with the occurrence of stalk rot, 162
Stewart's bacterial wilt: disease incidence and feeding by insect vector reduced with carbofuran, 149
techniques for inoculating corn with Erwinia stewartii, 413; 1077
stunt: 342
witchweed: physiologic specialization of, on corn, 770
Corrections for:
Vol. 61, No. 6, page 466: 900
Vol. 61, No. 7, page 564: 1088
Corynebacterium fascians: growth characteristics, and interactions of, with Agrobacterium tumefaciens, 963
Corynespora cassiicola: 1002
Coryneum beijerinckii (Cladosporium carpophilum): 672
Cotton:
black root rot: comparison of damage by Thielaviopsis basicola on mycorrhizal and nonmycorrhizal seedlings, 266
boll rot: comparative susceptibility of cotton bolls with standard and frego bracts to rot fungi, 132
seedling diseases: effects of carboxin and MBC compounds on seedling diseases caused by Rhizoctonia solani and Thielaviopsis basicola, 538
seedling survival: most improved by the fungicide combination, carboxin-captan + aldicarb, 703
Cowpea (see Vigna unguiculata)
Crambe abyssinica: symptoms and control of peat mold (Chromelosporium fulvum), 93
Criconemoides:
ornatus: 1013
sp.: 919
spp.: 669
Cronartium:
comandrae: 1083
fusiforme: 609; 916; 976
Crown rust:
oats: 621
Cucumber:
angular leafspot: yield losses in pickling cucumber crops due to, 386
gray mold: inhibiting sporulation of Botrytis cinerea with UV-absorbing film for greenhouses, 1041
powdery mildew: Ampelomyces quisqualis, a hyperparasite, controlled Sphaerotheca fuliginea, while also parasitizing the host, 728
Sclerotinia disease of: controlled by inhibiting apothecial development, 1036
Curvularia:
lunata (Cochliobolus lunatus): 1082
sp.: 76
Cylindrocladium:
crotalariae (Calonectria crotalariae): 300; 431; 495
scoparium: 577
Cynodon:
dactylon x C. transvaalensis:
nematodes: plant parasites associated with putting greens in Hawaii, 919
phenamiphos and DBCP effective against root-knot nematodes, 978
Cytosporina sp.: 422; 600

Dactynotus ambrosiae: transmission of the sugarcane mosaic, and maize dwarf mosaic, viruses by the ambrosia aphid, 724
Damping-off:
beans (snap): 285
cotton: 538
soybeans: 196
Daphne x burkwoodii 'Variegata': carnation mottle virus isolated from, 675
Decline:
boxwood: 404
young tree: 546; 717
Deightoniella torulosa (Helminthosporium torulosum): 939
Dendrobium spp.: Botrytis blossom blight controlled effectively with benomyl or chlorothalonil, 943
Diaporthe phaseolorum var. sojae: 42
Dieback:
inflorescence:
Areca catechu: 172
limb:
apricot: 600
seedling:
walnut: 582

shoot:
Pinus radiata: 101
tip:
Juniperus virginiana: 512
Diplodia:
gossypina: 132
maydis: 76
pinea: 101
Ditylenchus dipsaci: 1060
Drechslera:
poae (Helminthosporium poae) (D. vagans): 90
rostrata (Helminthosporium rostratum): 76
vagans (Drechslera (Helminthosporium) poae): 90
Duchesnea indica: Frommea obtusa var. duchesneae reported in Michigan and Minnesota, 999
Dutch elm disease: 238; 424; 694

Eggplant:
alfalfa mosaic virus: natural infection of eggplant in Ontario, 393
gray mold: UV-absorbing film for greenhouses inhibits sporulation of Botrytis cinerea, 1041
Sclerotinia disease of: controlled by inhibiting apothecial development, 1036
Eichhornia crassipes (see Waterhyacinth)
Eleusine coracana: rhabdovirus particles associated with a mosaic disease in India, 1029
Elm (see Ulmus)
Elm phloem necrosis: 402; 626
Endothia parasitica: 1032
Epicoccum:
oryzae: 511
purpurascens: 953
spp.: 773
Ergot:
ryegrass: 845
Erwinia:
amylovora: 232; 823; 936
carotovora: 783
chrysanthemi: 536; 1048
rubrifaciens: 321
salicis: 268
sp.: 158
stewartii: 149; 413; 668; 1077
Erysiphe:
cichoracearum: 384
graminis: 836; 953
graminis f. sp.:
avenae: 37; 273
polygoni (betae): 88
Euonymus alatus: Nectria cinnabarina causes stem cankers in tissue predisposed to freezing stress, 921
Euphorbia pulcherrima: application methods for benomyl for controlling Rhizoctonia root rot, 746
Eutypa armeniacae: 422; 600
Exocortis:
grapefruit (Marsh): 717
Exserohilum (Helminthosporium turcicum): 657

Fabraea maculata: 370
Fabrella tsugae: 863
Festuca pratensis: crown rust resistance in introductions and cultivars of meadow fescue, 463
Fig, Kadota: chlorothalonil controls Alternaria surface rot effectively, 351
Flax:
rust: BAS 2203 F and benodanil effectively reduce the intensity of, 185
seedling blight: susceptibility of flax to three isolates of Rhizoctonia solani, 140
Fomes (Fomitopsis) annosus: 481
Fomitopsis (Fomes) annosus: 481
Forest vegetation: effects of sulfur dioxide on, in Newfoundland, 7
Fouquieria splendens: Phyllactinia corylea reported on, in California, 562
Fragaria x ananassa (see Strawberry)
Fraxinus velutina var. glabra: life cycle of, and control of Gloeosporium aridum, 792
Frommea obtusa var. duchesneae: 999
Fungicides (general):
azalea: effectiveness of fungicides for petal blight is found to be dependent upon application timing, 209
barley: effects of benomyl, carboxin, and thiabendazole on yields of healthy cultivars, 1057
cotton: controlling seedling diseases with MBC compounds, either alone, or combined with carboxin, 538
effects of fungicides singly or in combination with insecticides upon the survival and vigor of seedlings, 703
figs (Kadota): benomyl, maneb, and chlorothalonil compared for effectiveness against Alternaria surface rot, 351
flax: several fungicides evaluated for effectiveness against rust, 185
guava: controlling Pestalotia psidii with homoeopathic drugs, 362
lettuce: fungicide tests for control of Erwinia carotovora on, 783

peach: fungicidal treatment of diseases with and without adhesives, under low and high rainfall, 672
pear: tolerance of Penicillium expansum to benzimidazole-type fungicides, 447
rice: four fungicides (benomyl, triphenyltin hydroxide, maneb, and chlorothalonil) found ineffective against Neovossia horrida, 379
ryegrass: ergot controlled by suppressing ascocarp formation with Bay Meb 6447, nuarimol, fenarimol, and sodium azide, 845
tobacco: effects of different fungicides on the growth of Phytophthora parasitica var. nicotianae, 366
tomato: efficacy of several chemicals for controlling Rhizoctonia fruit rot of, 811
wheat: effects of benomyl, carboxin, and thiabendazole on yields of healthy cultivars, 1057
Fungicides (specific):
aldicarb: effects of, in combination with carboxin and captan on cotton seedling survival and vigor, 703
anilazine: Rhizoctonia solani, cause of tomato fruit rot, controlled by anilazine, 811
arsenicum album: effects on Pestalotia psidii (guava fruit rot), 362
BAS 2203 F: effectively reduced incidence of flax rust, 185
BAS 3460 F:
apple: tolerance of Venturia inaequalis in Poland to BAS 3460 F, 346
corn: effectiveness on brown spot of maize, 334
peanut: provides good protection against pod rot while controlling Cercospora leafspot, 55
BAY 46131: in Guatemala, the concentrate, when applied as a paint, controlled late blight of tomato, 899
BAY 47531: controlling root rot fungi on chickpea with, 736
BAY Meb 6447:
azalea: control of flower blight with, 111
bluegrass (Kentucky): effective against Fusarium roseum, 484
benodanil: found to be effective in reducing flax rust, 185
benomyl:
apple: tolerance of Venturia inaequalis to benomyl, and other benzimidazole-type fungicides in Poland, 346
apricot: application methods evaluated for effectiveness against Eutypa armeniacae on pruning wounds, 600
asparagus: crown soaks and fumigation protect asparagus from Fusarium infection, 355
blueberry: stem canker development inhibited by benomyl, 874
cabbage: seedborne fungus, Phoma lingam, is effectively controlled by benomyl, 118
Cajanus cajan: reduction of internal, seedborne, pathogenic fungi in pigeon pea seed, 1006
chickpea: root rot fungi controlled with thiram plus benomyl, 736
corn: brown spot of maize controlled with benomyl, 334
Dendrobium spp.: Botrytis blossom blight controlled with benomyl, 943
Iris (bulbous): benomyl combined with TCMTB caused reduced growth of Penicillium corymbiferum, 879
lettuce: compared with PCNB and DCNA for controlling lettuce drop, 555
Musa spp.: inhibits growth of Deightoniella torulosa, 939
peanut: controls Sclerotinia blight on peanut better than chlorothalonil, 995
pear: ineffective against Phialophora malorum, which causes side rot, 890
Penicillium expansum tolerant of benomyl, in Australia, 447
Phaseolus vulgaris: does not control pod-flecking, 901
poinsettia: application methods for controlling Rhizoctonia solani, 746
stone fruit: tolerance of Monilinia fructicola to benomyl in New York, 654
sweetpotato: Fusarium wilt controlled with benomyl, 1
Vicia faba: offered best control of powdery mildew, 1051
walnut: benomyl controls anthracnose more effectively than dodine, 378
wheat: causes an increase in Alternaria and Bipolaris colonies, while decreasing Septoria and Epicoccum infections, 773
woody ornamentals: soil injections offer some control of foliar

diseases, 370
cacodylic acid:
oak: reduces oak wilt, 972
captafol:
asparagus: Fusarium infection inhibited by crown soaks with captafol and soil fumigation with DD-MENCS, 355
potato: effective against Alternaria solani, 473
tobacco: toxicity of captafol to Phytophthora parasitica var. nicotianae, 366
tomato: biweekly sprays as effective as weekly sprays for controlling early blight and anthracnose, 803
interacts with ethephon against fruit rots, 106
captan:
apple: tolerance of Venturia inaequalis strains to captan and other benzimidazole-type fungicides in in Poland, 346
chickpea: thiram plus captan control root rot fungi effectively, 736
cotton: when combined with carboxin and aldicarb, captan increases seedling survival and vigor, 703
crambe: captan does not control peat mold, 93
carbofuran: control of Pratylenchus penetrans on apple, cherry, peach, pear, and plum tree understocks, 84
carboxin:
cotton: carboxin, when combined with MBC, improves seedling disease control, 538
effects on seedling survival and vigor when combined with captan and aldicarb, 703
peanuts: mycelial growth of Sclerotium rolfsii prevented by carboxin, 408
chloropicrin: plow fumigation compared with shank fumigation for controlling Verticillium albo-atrum on potato, 579
chlorothalonil:
azalea: ineffective against sclerotia of Ovulinia azaleae, 209
fig (Kadota): Alternaria surface rot inhibited by chlorothalonil, 351
papaya: postharvest diseases, controlled by chlorothalonil, 731
peanut: increases severity of Sclerotinia blight, 995
Phaseolus vulgaris: control of pod-flecking, 901
potato: early blight controlled by chlorothalonil, 473
tomato: anthracnose and early blight are controlled as effectively by biweekly sprays as by weekly sprays, 803
copper:
hydroxide: controls bacterial soft rot of lettuce, 783
offers moderate control of Xanthomonas begoniae, 649
sulfate: bacterial soft rot controlled with copper sulfate, 783
DCNA: importance of dosage, timing, and application of, and comparison with benomyl and PCNB, for controlling Sclerotinia sclerotiorum on lettuce, 555
DD-MENCS: Fusarium infection of asparagus inhibited by soil fumigation, plus crown soaks of benomyl or captafol, 355
dichlone: is toxic to Phytophthora parasitica var. nicotianae, 366
dodine: tolerant strains of Venturia inaequalis found in Poland, 346
ETMT:
juniper (Juniperus conferta): root and crown rot caused by Pythium irregulare controlled by ETMT, 584
tobacco: Phytophthora parasitica var. nicotianae inhibited by ETMT, 366
fenarimol:
grapes: possible eradicant for Guignardia bidwellii on grape, 125
Kentucky bluegrass: suppresses Fusarium blight, 484
Kali iodide: effects on spore germination of Pestalotia psidii, 362
MBC:
apple: tolerance of Venturia inaequalis to MBC and other benzimidazole-type fungicides in Poland, 346
Castanea dentata: shows promise for control of chestnut blight, 1032
oxamyl: greater incidence of downy mildew on soybean due to oxamyl, 436
oxycarboxin: effective control of brown spot of maize achieved with, 334
PCNB:
lettuce: compared with benomyl and DCNA for controlling Sclerotinia sclerotiorum, 555
tomato: reducing Rhizoctonia fruit rot, 811
pyroxychlor:
juniper (shore): reduction of root and crown rot, 584
tobacco: high doses toxic to

Phytophthora parasitica var. nicotianae, 366
R23979: provides effective control for citrus fruits against Penicillium strains resistant to benzimidazole-type fungicides, 788
RP 26019: suppresses Fusarium roseum on Kentucky bluegrass, 484
sodium azide:
peanut: effects on inoculum density-disease relationships for Cylindrocladium black rot of peanut, 431
ryegrass: suppression of Claviceps purpurea by inhibiting ascocarp formation, 845
streptomycin sulfate:
begonia: moderately controls Xanthomonas begoniae, 649
pear: reduction of pear blast infections with streptomycin sulfate, 311
tartaric acid: may reduce pear blast infections, 311
TCMTB: controls Penicillium corymbiferum on bulbous iris alone or with benomyl, 879
thiabendazole:
pears: tolerance of Penicillium expansum to, 447
sweetpotato: provides effective control of Fusarium wilt, 1
thiophanate-methyl:
apple: tolerant strains of Venturia inaequalis reported in Poland, 346
pear: tolerance of Penicillium expansum reported in Australia, 447
thiram:
chickpea: root rot control with thiram plus either benomyl, or captan, 736
crambe: does not control peat mold, 93
triphenyltin hydroxide (TPTH): prevention of Sclerotium rolfsii on peanuts, 408
XE-326s: preliminary testing shows effectiveness against Ceratocystis ulmi, 694
zinc ion-maneb complex: moderate control of Alternaria alternata on papaya achieved in Hawaii, 731
Furcraea spp.: necrotic streak mosaic virus reported in Columbia on cabuya, 1017
Fusarium:
arthrosporioides: 736
avenaceum: 736
equisiti: 428
graminearum: 836
lateritium f. pini: 976
longipes: 953
moniliforme: 76; 162; 259; 355; 616
moniliforme var. subglutinans: 976
nivale: 836
oxysporum: 132; 355; 404; 894
oxysporum f. sp.:
batatas: 1
carthami: 849
cubense: 15
lycopersici: 251
spinaciae race 1: 1067
roseum: 355; 484
'Avenaceum': 752
'Equiseti': 259
semitectum: 1006
solani: 76
solani f. sp.:
phaseoli: 175
sp.: 736
spp.: 43; 51; 521; 797

Galls: wound-induced gall formation appears to be due to cultivation practices, 142
Gaultheria shallon: modified zoospore trapping assay for isolation of Phytophthora species, which cause root rot and wilt in commercial nurseries, from roots and soil, 1045
Giant witchweed (see Striga hermonthica)
Gladiolus:
psittacinus: reaction of, to bean yellow mosaic virus, 243
x grandiflorus: comparative symptomatology of bean yellow mosaic virus infections on Florida and Oregon gladiolus plants, 243
Globodera:
pallida: 590
rostochiensis: 590
Gloeosporium aridum: 792
Glomus mosseae: 266
Glume blotch:
wheat: 71; 632; 867
Gnomonia:
leptostyla: 370; 378
platani: 370
Grape:
black rot: evaluation of several fungicides as post-infection eradicants of Guignardia bidwellii, 125
dead arm: perithecial stromata of Eutypa armeniacae are associated with dead arm-affected grapevines, 422
grapevine Bulgarian latent virus:

reported on grape in New York, 949
nematodes: prevalent nematodes on grapevines in Egypt are Meloidogyne incognita, Tylenchulus semipenetrans, and Rotylenchulus reniformis, 669
Pierce's disease: symptom remission and occasional recovery associated with cold therapy, 514
powdery mildew: overwintering of the oidium stage of Uncinula necator in buds of grapevines, 612
tomato ringspot virus: occurrence and distribution on DeChaunac grapes in Ontario, 24
Verticillium wilt: reported on California grapevines, 909
viruses: rapid detection of virus and viruslike diseases utilizing growth chambers, 567
Grapefruit: occurrence of blight (young tree decline) and exocortis on various rootstocks, 717
Greenbug (see Schizaphis graminum)
Gremmeniella:
abietina (Scleroderris lagerbergii): 707; 887
immunogenic reactions of New York and European isolates compared, 887
Guava: homoeopathic drugs evaluated for control of Pestalotia psidii, 362
Guignardia:
aesculi: 370
bidwellii: 125
Gynura aurantiaca: purification and properties of a latent virus in gynura, 325

Haplaxius crudus (planthopper): 304
Helicotylenchus:
dihystera: 669
multicinctus: 518
sp.: 919
Helminthosporium:
poae (Drechslera poae, D. vagans): 90
rostratum (Drechslera rostrata): 76
sativum: 953
torulosum (Deightoniella torulosa): 939
turcicum (Exserohilum turcicum): 657
Hemicriconemoides spp.: 669
Hemileia vastatrix: 999
Henbit (see Lamium amplexicaule)
Hevea brasiliensis: bark cracking caused by a graft-transmissible agent, 946
Hoplolaimus:
galeatus: 29
spp.: 669
tylenchiformis: 328
Hymenomycetes: infections in red maple controlled with Trichoderma harzianum, 687
Hymenula cerealis (Cephalosporium gramineum): 619

Ilex crenata: first report of tobacco ringspot virus infecting holly, 104
Iris: Penicillium rots of bulbous iris controlled with either TCMTB, or TCMTB + benomyl, 879

Juglans:
nigra:
anthracnose: comparison of benomyl and three other fungicides with dodine for controlling anthracnose, 378
shoot dieback of seedlings: attributed to Phomopsis elaeagni, 582
regia 'Hartley':
deep bark canker: transmission of Erwinia rubrifaciens by mechanical harvesters, 321
Juniperus:
conferta: etiology and control of root and crown rot, 584
virginiana: Kabatina juniperi reported in the U.S., 512

Kabatina juniperi: 512
Khuskia oryzae: 953

Lamium amplexicaule: host for Sclerotinia sclerotiorum (trifoliorum), 508
Landfills: gases from landfills are the cause of chlorosis and stunting in field crops in New Jersey, 295
Lasiodiplodia theobromae: 1006
Leaf:
blotch:
Ohio buckeye: 370
Septoria:
wheat: 438; 597; 632
scald:
rice: 294
spot:
Alternaria:
Cruciferae: 360
angular:
cucumber: 386
bacterial:
alfalfa: 565
green gram (Vigna radiata var. radiata): 390
Cercospora:
Vigna unguiculata: 741
witchweed: 428
Curvularia:
sorghum: 1082
holly: 104

jute: 80
Septoria:
dogwood: 370
tomato: 803
Lens culinaris:
pea seedborne mosaic virus: transmission of, in lentils, 235
root rot: caused by Fusarium roseum 'Avenaceum' in Washington State, 752
Lentil (see Lens culinaris)
Leptosphaeria nodorum: 632; 953
Lettuce:
bacterial soft rot: reduced rot incidence by using chemicals (either copper hydroxide or copper sulfate) and cultivar resistance, 783
bidens mottle virus: resistance in Cos lettuce and in endive varieties and introductions, 767
drop: benomyl, DCNA, and PCNB evaluated for control of Sclerotinia sclerotiorum 'minor', 555
Light intensity: influences virus transmission by Liriomyza sativae, 1025
Lilac: resistance in species and cultivars to powdery mildew, 192
Lily, white water: wild rice infected by a Sclerotium species isolated from lilies, 187
Liriomyza sativae: transmission of celery mosaic virus and two strains of watermelon mosaic virus by leaf miners is influenced by light intensities, 1025
Lolium perenne 'Linn': sodium azide suppresses ascocarp formation, thus controlling ergot, 845
Longidorus:
breviannulatus: 712
spp.: 669
Lygus spp.: 936
Lysimachia vulgaris: etiology and description of a mosaic (cucumber mosaic virus) of garden loosestrife, 332

Macrophomina phaseolina: 51; 76; 543
Mangifera indica (see Mango)
Mango:
malformation: symptoms partly attributed to Fusarium oxysporum, 894
Phoma blight: Phoma glomerata reported on mango in India, 419
Maple (red) (see Acer rubrum)
Marigold (see Tagetes patula)
Medicago sativa:(see Alfalfa)
Melampsora lini: 185
Meloidogyne:
hapla: 743
incognita: 29; 190; 251; 489; 518; 525; 669; 806; 882; 978; 991; 994; 1013
javanica: 669; 991
sp.: 776; 919
sp.: host range of a species that infects American beachgrass, 776
spp.: 129; 518; 525; 991
Meruliporia incrassata (Poria [Serpula] incrassata): 50
Metrosideros collina ssp. polymorpha (see Ohia)
Microsphaera:
alni: 192; 370
diffusa: 32
penicillata var. ludens: 1051
Mildew:
downy:
cantaloup: 375
corn: 478; 563;
rose: 230
soybean: 661
powdery:
beet: 88
cucumber: 728
Fouquieria splendens: 562
grape: 612
lilac: 192; 370
oats: 37; 273
Psophocarpus tetragonolobus: 384
soybean: 32; 122
watermelon: 397
wheat: 836; 953
Millet:
finger (see Eleusine coracana)
panicum mosaic virus: response of millet genera to, 60
pearl (see Pennisetum americanum)
witchweed: physiologic specialization in witchweed infecting millet in Africa, 770
Molds:
blue:
citrus: 788
pears: 447
green:
citrus: 788
peat: 93
white: 226
Monilinia fructicola: 654
Monilochaetes infuscans: 882
Mortierella sp.: 76
Morus alba: reported as a new host of Meloidogyne incognita in Iraq, 994
Musa spp.:
anthracnose: cultivar resistance to, 797
black spot disease: identification and

control of, in Brazil, 939
crown rot: susceptibility of cultivars to, 797
fusarial wilt: varietal resistance to races 1 and 2 of Fusarium oxysporum f. sp. cubense, 15
nematodes (root-knot): occurrence and spatial distribution on bananas and plantains in Honduras, 518
Mycoplasma: 588; 830; 1022
Mycoplasmalike organism: 154; 319; 402; 626
Mycorrhizae: comparative studies of damage caused by Thielaviopsis basicola on mycorrhizal and nonmycorrhizal cotton seedlings, 266
effects of soil amendments and other soil treatments on disease control and on mycorrhizal development on ponderosa pine seedlings, 43
Mycosphaerella cruenta (Cercospora cruenta): 741
Myzus persicae: 841

Naemacyclus niveus: 422
Nectria cinnabarina: 921
Needlecast:
Fabrella needlecast:
hemlock: 863
Naemacyclus:
scotch pine: 422
Rhabdocline:
douglas fir: 801
Nematicides:
DBCP:
burmudagrass: DBCP provides excellent control of root-knot nematodes, 978
rough lemon rootstock: effectiveness of DBCP, either alone or combined with oxamyl, for controlling Radopholus similis, 450
ethoprop 6EC: reduction of Radopholus similis populations on Calathea, 532
ethylene dibromide: reduces nematode populations and increases yields of millet and sorghum-sudangrass hybrids, 1013
oxamyl:
Calathea spp.: Radopholus similis suppressed with oxamyl, 532
Rosaceae family: reducing populations of Pratylenchus penetrans on fruit trees, 84
rough lemon rootstock: oxamyl, either alone or combined with DBCP, controlled Radopholus similis, 450
phenamiphos:
bermudagrass: effective against Meloidogyne incognita, 978
potato: eliminated Meloidogyne hapla from seed-pieces, 743
Nematodes (see also individual genera)
direct centrifugal-flotation compared with other methods for recovering nematodes, 1054
reduction of nematodes with leaf mold composts and other additives, 328
Neovossia horrida: 379
New hosts for:
Anguina microlaenae:
Capsella bursa-pastoris, 994
Centaurea rigida, 1086
Consinia stenocephala, 1086
Botryosphaeria dothidea:
Salix spp., 664
carnation mottle virus:
Daphne, 675
Colletotrichum gloeosporioides:
Areca catechu, 172
Cucumber mosaic virus:
Lysimachia vulgaris, 332
Cylindrocladium scoparium:
Quercus falcata var. pagodoefolia, 577
Eggplant mosaic virus:
Chenopodium album, 628
Nicandra physaloides, 628
Nicotiana debneyi, 628
Erwinia amylovora:
blackberry, thornless semi-erect, and thorny erect, 232
Erysiphe cichoracearum:
Psophocarpus tetragonolobus, 384
Longidorus breviannulatus:
Agrostis palustris, 712
Meloidogyne incognita:
reported from Iraq, 994
Solanum khasianum, 806
Phoma glomerata:
Mangifera indica, 419
Phytophthora citricola:
Quercus agrifolia, 66
Phytophthora parasitica:
Catharanthus roseus, 182
Radopholus similis:
reported from India, 760
Sclerotinia sclerotiorum (trifoliorum):
Lamium amplexicaule, 508
tobacco mosaic virus:
Carthamus tinctorius: 1010
tomato ringspot virus:
Ilex crenata var. rotundifolia, 104
Tylenchulus semipenetrans:
ten members of the family

Rutaceae, 466
Nicotiana tabacum: tobacco mosaic virus-infected plants are injured less by ozone, 961
Nigrospora sphaerica: 797
Nymphaea odorata: possible source of Sclerotium infection of wild rice, 187

Oak (see Quercus for individual species)
Oak wilt: survey of, in Kansas and Nebraska, 188
Oats:
crown rust: pathogenicity of Puccinia coronata avenae from 1971-1975, 621
powdery mildew: mildew resistance of 'Dal' and 'Mariner', 273
reactions of spring oat varieties and lines to powdery mildew, 37
stem rust: races of Puccinia graminis f. sp. avenae found in the U.S. in 1976, 1071
Ocotillo (see Fouquieria splendens)
Ohia: role of Phytophthora cinnamomi in the decline of, 290
Onion: seasonal characteristics of Sclerotium cepivorum, cause of white rot, under field conditions, 722
Ornamentals, woody: soil injections with benomyl control foliar diseases, 370
Ovulinia azaleae: 111; 209

Paecilomyces buxi: 404
Papaya (see Carica papaya)
Paraphlepsius irroratus: 830
Paratylenchus spp.: 669
Pea: suppression of Aphanomyces root rot in peas with calcium salts, 762
Peach:
brown rot: tolerance of Monilinia fructicola to benomyl in New York, 654
Coryneum blight: effect of adhesives on the efficacy of fungicides under low and high rainfall, 672
leaf curl: response to fungicides with and without adhesives under low and high rainfall, 672
rusty spot: first reported occurrence in Illinois, 317
severity correlated with proximity of poorly cared for apple trees, 835
X-disease: infected peach trees not limited to areas that border chokecherries in Michigan, 830
variable infection of peach and chokecherry caused in part by seasonal variation, 1022
Peanut:
Cercospora leafspot: pod rot reduced by controlling leafspot, 55
Cylindrocladium black rot:
effects of sodium azide, cultivar type and inoculum density on controlling Cylindrocladium crotalariae, 431
role of intercropping and farm machinery transport in the dissemination of Cylindrocladium crotalariae, 495
sensitivity of cultivars to different levels of infestation, 300
nematodes: populations of Meloidogyne incognita reduced more by marigold than by peanut, 525
peg decay: field and soil plate screening tests for evaluation of fungicides to control Sclerotium rolfsii, 408
pod rot: control of Cercospora leafspot reduces pod rot in Malawi, 55
kernel color, senescence, and Fusarium spp. (and other fungi), associated with a pod rot in Malawi, 51
Sclerotinia blight: chlorothalonil increases severity, while benomyl decreases severity of blight, 995
Pear:
blast: controlled with streptomycin sulfate or tartaric acid sprays, 311
fire blight: Erwinia amylovora transmitted by lygus bugs, 936
growth of Pseudomonas syringae and Erwinia amylovora inhibited by citrate and tartrate sprays, 823
side rot: Phialophora malorum, causes an epidemic in Oregon and is found to be resistant to benomyl, 890
Pecan: mycoplasmalike organisms reported in pecans with bunch disease in Arkansas, 319
Peg decay of peanut: 408
Penicillium:
corymbiferum: 879
digitatum: 788
expansum: 447
italicum: 788
sp.: 76
Pennisetum americanum: significant reduction of nematode populations with ethylene dibromide, 1013
People's Republic of China (see China)
Periwinkle (see Catharanthus roseus)

Peronospora:
manshurica: 436; 661
sparsa: 230
Pestalotia psidii: 362
Phaseolus:
lathyroides: reservoir of cowpea mosaic in Ceara, Brazil, 864
vulgaris:
bean rust: variation in virulence of Uromyces phaseoli var. typica collections from Minnesota and Wisconsin, 756
damping-off: inheritance of resistance to seed decay and pre-emergence damping-off, 285
Fusarium root rot: effects of temporary excessive wetting on soil aeration and root rot, 175
galling: possibly due to cultivation wounds, 142
nematodes: cultivar resistance to Meloidogyne spp. in Kenya, 991
pod-flecking: etiology and control, in New York, 901
white mold: evaluation of bean germplasm to Sclerotinia sclerotiorum, 226
Phialophora malorum: 890
Phoma:
glomerata: 419
lingam: 118
medicaginis: 166
sp.: 428
Phomopsis:
elaeagni: 582
sp.: 1006
Phyllactinia corylea: 562
Physoderma maydis: 334; 1080
Phytophthora:
cactorum: 66; 528
capsici: 668
cinnamomi: 290; 584; 1045
citricola: 66
cryptogea: 807
erythroseptica: 807
infestans: 820; 899
nicotianae var. parasitica (P. parasitica): 182; 404; 560; 584
parasitica (nicotianae var. parasitica): 182; 404; 560
parasitica var. nicotianae: 366
Pierce's disease of grapes: sub-zero cold treatments effective against, 514
Pigeon pea (see Cajanus cajan)
Pinus:
edulus: first report of Verticicladiella wagenerii in New Mexico, 419
elliottii var. elliottii:
fusiform rust: influence of fertilizer, inoculum density, host species and interaction of fertilizer and host species, on resistance, 609
ponderosa:
air pollution: response of primary needles to individual and combined exposure to ozone and PAN, 640
Armillaria root rot: pathogenicity differences to ponderosa pine seedlings found in isolates from pine and hardwood trees, 416
comandra rust: survey of, in Oregon, 1083
root rot: evaluation of soil treatments for controlling the root rot complex in ponderosa pine seedbeds, 43
radiata: effects of tree age on Diplodia pinea infection, 101
resinosa: mortality in Wisconsin correlated with total number of dead oak stems, 955
serotina: clonal resistance to fusiform rust, 916
spp.:
fusiform rust: influence of fertilizer and inoculum density on the susceptibility of pine seedlings, 609
pine pitch canker: associated with the occurrence of fusiform rust in South Carolina, 976
Scleroderris canker: compared with European and North American isolates, 887
Scleroderris lagerbergii (Gremmeniella abietina) reported in New York, 707
Verticicladiella procera: reported on pine in Pennsylvania in 1976, 477
strobus: symptomatology of, and sources for, oxidants in rural Virginia, 778
sylvestris:
air pollution: response to single and multiple exposures to ozone and sulfur dioxide, 699
needle age related to sensitivity to acute doses of sulfur dioxide, 870
taeda: influence of fertilizer, inoculum density, host species, and interaction of fertilizer and host species, on resistance to fusiform rust, 609
Pistacia vera: reported as a new host for Meloidogyne incognita in Iraq, 994
Pisum sativum (see Pea)
Planthopper (Haplaxius crudus): 304
Platanus occidentalis: canker stain observed in the Midsouth, 984

Poa:
pratensis:
Rhizoctonia brown patch: compared with a similar disease, Fusarium blight, 749
melting out: effects of sprinkler irrigation on, and the control of, Drechslera poae, 90
spp.:
Fusarium blight: efficacy of nonbenzimidazole-type fungicides for controlling Fusarium roseum, 484
stripe rust: susceptibility to Puccinia striiformis f. sp. poae, 588
Podosphaera leucotricha: 317
Poinsettia (see Euphorbia pulcherrima)
Pollution (air):
oxidants: sources of oxidants in rural Virginia, and their resulting injuries to white pine, 778
ozone:
alfalfa: interactions between ozone and bacterial leafspot, 565
Pinus ponderosa: primary needles exposed simultaneously to ozone and PAN, are injured less than those exposed only to ozone, 640
Pinus sylvestris: effects of single and simultaneous exposures to ozone and sulfur dioxide on Scots pine, 699
strawberry: ozone resistance in cultivars, 222
tobacco: plants infected with tobacco mosaic virus are injured less by ozone, 955
PAN: response of primary needles of ponderosa pine to combined and individual exposures of ozone and PAN, 640
sulfur dioxide:
forest vegetation: effects on Newfoundland vegetation, 7
Pinus sylvestris: needle age related to sensitivity to acute doses, 870
Response to single and simultaneous exposures to sulfur dioxide and ozone, 699
strawberry: resistance to sulfur dioxide, 222
Polymyxa betae: 492
Poria incrassata (Serpula [Meruliporia] incrassata): 50
Potato:
charcoal rot: biological control of charcoal rot with Bacillus subtilis, 543
early blight: cultivar susceptibility to, and efficacy of fungicides against, Alternaria solani, 473
late blight: large scale greenhouse testing for resistance to Phytophthora infestans, 820
nematodes: effectiveness of potato seed-piece treatment with oxamyl, 29
first report of Globodera pallida in North America, from Newfoundland, 590
Meloidogyne hapla eliminated from seed-pieces with phenamiphos, 743
pink rot: caused by either Phytophthora erythroseptica or P. cryptogea, 807
tuber rot: associated with ponding of irrigation water in swales of fields, 1064
Verticillium wilt: fumigation methods compared for control of Verticillium albo-atrum, 579
pathogenicity of Verticillium dahliae on potato in the field, 373
Pratylenchus:
brachyurus: 29
penetrans: 84; 277; 328
sp.: 669; 919
spp.: 1013
Pritchardia spp.: response of lethal decline in P. pacifica and P. thurstonii to oxytetracycline-HCl injections, 154
Proteaceae: resistance within the Proteaceae to Meloidogyne incognita, 489
Prune: reported as a new host for Meloidogyne incognita in Iraq, 994
Pseudomonas:
glycinea: 458
lachrymans: 386
solanacearum: 129
syringae: 311; 386; 823
Pseudoperonospora cubensis: 375
Pseudotsuga menziesii: first report of Rhabdocline needlecast in the Lake States, 801
Puccinia:
asparagi: 503
coronata: 463
coronata avenae: 621
graminis f. sp.:
avenae: 1071
tritici: 71; 454; 926; 953; 987
heterospora: 208
recondita: 953
recondita f. sp.:
tritici: 71; 591; 926
sorghi: 256; 668
striiformis: 926

striiformis f. sp.:
poae: 588
Punica granatum: reported as a new host for Meloidogyne incognita in Iraq, 994
Pyrenochaeta terrestris: 76
Pythium:
irregulare: 584
spp.: 43
sylvaticum: 584
ultimum: 285

Quercus:
agrifolia: first report of Phytophthora citricola as a pathogen on coast live oaks in the U.S., 66
falcata var. pagodaefolia: Cylindrocladium scoparium associated with root rot of cherrybark oak, 577
rubra: screening for resistance to oak wilt in red oak in Wisconsin, 201
spp.:
Armillaria root rot: red pine mortality due to root rot in Wisconsin correlated with number of dead oak stems, 955
oak wilt: reduction of, with cacodylic acid, 972
root grafting incidence greater and more important in the transmission of Ceratocystis fagacearum than previously suspected in West Virginia, 970
suber: first report of Phytophthora cinnamomi as a pathogen of cork oak in the U.S., 66

Radopholus similis: 450; 518; 532; 760
Rape (see Brassica campestris)
Raspberry (see Rubus idaeus)
Red blotch of small grain: 511
Resistance of:
alfalfa to anthracnose, 35
banana to anthracnose and crown rotting fungi, 797
bean cultivars to Meloidogyne spp., 991
cantaloup to Pseudoperonospora cubensis, 375
Cichorium spp. to bidens mottle virus, 767
corn to:
brown spot, 1080
Sclerospora sorghi: reaction of inbred lines to, 563
Response of a diallel cross to, 607
Sclerospora spp.: response of genotypes to infection, 478
elm to the Dutch elm disease, 238
Festuca pratensis (meadow fescue) to Puccinia coronata, 463
Fusarium roseum to benzimidazole-type fungicides, 484
lettuce to bidens mottle virus, 767
lilac to powdery mildew, 192
millet to Panicum mosaic virus-St. Augustine decline, 60
Monilinia fructicola to benomyl in New York, 654
oak (red) to oak wilt, 201
oats to powdery mildew, 37; 273
peanut to Cylindrocladium crotalariae, 300
Penicillium:
expansum to benzimidazole-type fungicides, in Australia, 447
spp. to benzimidazole-type fungicides, 788
pepper to:
tobacco etch virus, 146
Xanthomonas vesicatoria, 684
Pinus:
elliottii var. elliottii to Cronartium fusiforme, 609
serotina to fusiform rust, 916
spp. to Armillaria isolates from hardwoods and pines, 416
taeda to Cronartium fusiforme, 609
Poa species to Puccinia striiformis, 588
potato to Phytophthora infestans, 820
Saintpaulia species and cultivars to Erwinia chrysanthemi, 1048
snap beans (Phaseolus vulgaris) to seed decay and pre-emergence damping-off, 285
strawberry to ozone and sulfur dioxide, 222
sugarcane varieties to Meloidogyne incognita, 190
tomato to early blight, 63
Trifolium pratense germplasm to Ditylenchus dipsaci, 1060
Venturia inaequalis to benzimidazole-type fungicides in Poland, 346
watermelon to cucurbit viruses, 167
wheat to:
leaf, stem, and stripe rusts, 926
Septoria nodorum and S. tritici, 632
Rhabdocline:
pseudotsugae: 801
weirii: 801
Rhizina undulata: 859
Rhizoctonia solani (see also Thanatephorus cucumeris): 76; 80; 140; 196; 538; 713; 746; 749; 811
conditions and methods necessary for consistent Rhizoctonia infection of soybeans, 196
Rhizopus:
arrhizus: 255
sp.: 76
not affected by fumigation with

propylene oxide or formaldehyde, 470
Rhododendron:
occidentale: first report of root rot and wilt in commercial nurseries, and development of modified zoospore trapping assay to isolate Phytophthora spp. from roots and soil, 1045
sp.: Bay Meb 6447, a new fungicide, controls azalea flower blight, 111
spp.: evaluation of fungicides and application timing for controlling azalea petal blight, 209
Rhynchosporium oryzae: 294
Rice (Oryza sativa):
bacterial leaf blight: reported in the U.S., 644
kernel smut: Neovossia horrida not controlled by benomyl, maneb, chlorothalonil, or triphenyltin hydroxide, 379
leaf scald: first report of scald in Indonesia, 294
red blotch: Epicoccum oryzae reported on rice in India, 511
rice yellow mottle virus: isolated from rice in the Ivory Coast, 443
stem rot: Sclerotium hydrophilum reported on rice in India, 511
Rice (wild): wild rice (Zizania aquatica) infected by a Sclerotium species, 187
Root-knot nematode (see Meloidogyne species)
Rosa sp.: first report of downy mildew on roses in Georgia, 230
Rosaceae: variable response of fruit tree understocks to Pratylenchus penetrans, a nematode which may be controlled by oxamyl, aldicarb, and carbofuran, 84
Rots on:
alfalfa: Sclerotinia stem, 166
apple: crown, 528
asparagus: cortical stem, 355; root, 355
banana: crown, 797
bean: Fusarium root, 175
cherry: brown, 654
Cicer arietinum: root, 736
conifers: Armillaria root, 708; root, 859
corn: Fusarium kernel, 162; Fusarium stalk, 259
cotton: black, 266; boll, 132
crucifers: black, 668
fig, Kadota: Alternaria surface, 351
grape: black, 125
guava: fruit, 362
Iris: Penicillium, 879
Juniperus conferta: root and crown, 584
lentils: Fusarium root, 752
lettuce: bacterial soft, 783
onion: white, 722
papaya: fruit surface, 731; stem-end; 731
pea: Aphanomyces root, 762
peach: brown, 654
peanut: Cylindrocaldium black, 300: 431; 495; pod, 51; 54
pear: side, 890
pine: Armillaria root, 416
poinsettia: Rhizoctonia root, 746
potato: charcoal, 543; pink, 807;
tuber rot: associated with ponding of irrigation water, 1064
Quercus falcata var. pagodaefolia: root rot, 577
rice: sheath rot, 307; stem, 511
sequoia: root and butt, 50
small grain: foot rot of cereals, 521
sorghum: stalk, 616
soybeans: red crown, 495
sugarbeet: root, 255
sweetpotato: bacterial soft, 158; black, 882
tomato: fruit, 106; 811; Fusarium foot and root, 251
wheat: Cercosporella foot, 96
Rotylenchulus reniformis: 669
Rubus:
idaeus: effect of Pratylenchus penetrans and Xiphinema bakeri on the establishment, growth, and yield, 277
sp.: first report of Erwinia amylovora on thornless semi-erect and thorny erect blackberry cultivars, 232
Rusts on:
asparagus: 503
bean: 756
Coffea arabica: orange coffee, 999
corn: common, 256; 668
Duchesnea indica: 999
fescue: crown, 463
flax: 185
oats: crown, 621; stem, 1071
pine: comandra, 1083; fusiform, 609; 916; 976
Poa spp.: stripe, 588
wheat: leaf, 71; 836; 926; 953; 987; stem, 71; 836; 926; 953; 987; stripe, 836; 926
Rusty spot of peach: 835
Rutaceae: new hosts of Tylenchulus semipenetrans in the Rutaceae family, 466
Rye:
chlorosis and stunting: landfill gases are believed to cause chlorosis and stunting of corn, rye, and sweetpotato, 295

leaf blotch: pathogenicity of Septoria avenae f. sp. triticea on rye, barley, and wheat in Minnesota, 438

Safflower (see Carthamus tinctorius)
Saintpaulia spp.: evaluation of resistance of species, cultivars, and species derivatives to Erwinia chrysanthemi, 1048
Salal (see Gaultheria shallon)
Salix:
alba var. caerulea: use of electrical resistance to detect watermark disease of cricket bat willow, 268
babylonica: reported as a new host for Meloidogyne incognita in Iraq, 994
spp.: Botryosphaeria dothidea reported on willow in New Zealand, 664
Sand hill decline: Rickettsialike bacteria found in apparently healthy and in diseased citrus trees, 546
Scab: wheat, 836
Scaphytopius acutus: 830
Schizaphis graminum: effects of temperature and rainfall on greenbug populations in Texas and Oklahoma, 4
Scleroderris lagerbergii (Gremmeniella abietina): 707; 887
Sclerospora:
sorghi: 563; 607
spp.: 478
Sclerotinia trifoliorum (sclerotiorum): 166; 508
Sclerotinia (Whetzelinia) sclerotiorum: 226; 555; 736; 995; 1036
Sclerotium:
cepivorum: 722
hydrophilum: 511
rolfsii: 76; 129; 341; 408
sp.: 187
Scurf: sweetpotato, 882
Seed treatments: influence of soil temperature upon the effectiveness of cereal seed treatments, 981
Septoria:
avenae f. sp. triticea: 438
cornicola: 370
glycines: 42; 458
nodorum: 71; 632; 773; 867; 953
tritici: 597; 632
Septoria leaf blotch: wheat, 632
Sequoia gigantea: Poria (Serpula [Meruliporia]) incrassata associated with a root and butt rot of giant sequoia, 50
Smut:
common: corn, 259
kernel: rice, 379
Solanum:
khasianum: new host for Meloidogyne incognita, 806
seaforthianum: host for eggplant mosaic virus in Venezuela, 628
Sorghum:
bicolor:
leaf blight: response of cultivars to Exserohilum (Helminthosporium) turcicum, 657
nematodes: influence of soil temperature, fertilization, fumigation, and nematode infection, on growth, 855
spp.:
Curvularia leaf spot reported in Mexico, 1082
Fusarium moniliforme: seedling response to, 616
Striga hermonthica: physiologic specialization in witchweed infecting sorghum in West Africa, 770
-sudangrass hybrids: nematode populations significantly reduced with ethylene dibromide, 1013
Southern pea (see Vigna unguiculata)
Soybean:
artificial defoliation: simulation of pathogen-induced defoliation and its effects upon yield, 458
Bacillus subtilis: effect on seed decay and germination, 213
downy mildew: disease response of seedlings at different temperatures to, 122
new races of Peronospora manshurica on soybean in the Midwest, 661
oxamyl causes increase in downy mildew, 436
peanut stunt virus: reported in the Midwest, 637
powdery mildew: disease response of cultivars to, 32
red crown rot: effects of intercropping with peanuts on the dissemination of Cylindrocladium crotalariae, 495
Rhizoctonia diseases: methods for consistent infection of soybeans, 196
distribution and cause of aerial blight in Louisiana, 713
soybean mosaic virus: description and etiology of a necrotic disease of soybeans in Korea, 313
sterilization: disinfection of seeds by fumigation with propylene oxide or formaldehyde, 470

surveys: estimated crop losses in 1975, 42
virus diseases in Kentucky, 690
Sphaerotheca fuliginea: 397; 728
Spinach: wilt caused by Fusarium oxysporum f. sp. spinaciae race 1 in Ontario, 1067
Spiroplasmas: 342
Spring black stem of alfalfa: 166
Squash (zucchini): watermelon mosaic virus is a ubiquitous disease of, 668
Stone fruits: studies of the relationship between Prunus stem pitting disease and yellow bud mosaic, and of graft transmission of the causal agent, 931
Strawberry: cultivar resistance to ozone and sulfur dioxide, 222
Striga hermonthica:
fungi that cause 3 diseases of giant witchweed are reported to be inhibited by bacteria in West Africa, 428
physiologic specialization in West Africa, 770
Subanguina radicicola: 48
Sugarbeet:
curly top virus:
re-evaluation of virulence in California, 248
reports of, in Michigan, 88
Polymyxa betae: first report of, in the Western Hemisphere, 492
powdery mildew: first report of in Michigan, 88
root rot of mature sugarbeets: attributed to Rhizopus arrhizus, 255
Sugarcane:
Meloidogyne incognita: varietal resistance of sugarcane to, 190
sugarcane mosaic virus: reported in the Lower Rio Grande Valley, Texas, 503
viruses: sugarcane mosaic and maize dwarf mosaic viruses transmitted by the ambrosia aphid (Dactynotus ambrosiae), 724
Sweetpotato:
bacterial stem and root rot: causes economic loss in Georgia, 158
chlorosis and stunting: possibly caused by landfill gases, 295
Fusarium wilt: controlled with benomyl or thiabendazole, 1
sprout-borne diseases: thermotherapy for control of Meloidogyne incognita, Ceratocystis fimbriata, and Monilochaetes infuscans, 882
Sycamore (see Platanus occidentalis)
Tagetes patula: compared with peanut and tomato as a biological control of Meloidogyne incognita, 525
Taphrina deformans: 672
Technique:
breeding: producing highbush blueberries which are free from red ringspot disease, 605
control: inhibiting sporulation of Botrytis cinerea with UV-absorbing film for greenhouses, 1041
inhibition of the apothecial development of Sclerotinia sclerotiorum in the greenhouse by using UV-absorbing film, 1036
late blight of tomato controlled in Guatemala with BAY 46131 concentrate applied as a paint, 899
new equipment for Dutch elm disease injections, 694
diagnosis: detecting viruses and viruslike diseases of grapes rapidly with growth chambers, 567
detection of root and butt rot pathogens aided with a portable power drill, 481
detection of tobacco mosaic virus on testa of tomato seed, 500
inexpensive anesthetization of insects, 284
rapid diagnosis of red clover viruses based on viral-induced inclusions, 679
watermark disease of cricket bat willow detected with electrical resistance, 268
inoculation: corn inoculation with Erwinia amylovora, 413; 1077
isolation: conditions and methods for maintaining consistent Rhizoctonia diseases on soybeans, 196
evaluation of a direct centrifugal-flotation method for nematode recovery, 1054
modified zoospore trapping assay for isolation of Phytophthora species from roots and soil, 1045
selective medium for isolating Cochliobolus sativus from cereal crowns and roots also infected with Fusarium spp., 521
screening: evaluating anthracnose resistance in alfalfa by using a seedling-box test, 35
mass testing for Phytophthora resistance in potatoes in the greenhouse, 820

rapid screening of elms for resistance to Dutch elm disease with a controlled environment, 238
Temperature (see Climatic conditions)
Thanatephorus cucumeris (also see Rhizoctonia solani): 80; 140; 713; 749
Thielaviopsis basicola: 266; 538
Tobacco (see Nicotiana tabacum)
Tomato:
anthracnose: captafol and chlorothalonil applied biweekly at a doubled rate is as effective as weekly applications at normal dosage rates, 803
blight: Corynespora cassiicola isolated from a leaf blight on tomato, 1002
early blight: biweekly applications of captafol and chlorothalonil at twice the dosage rate is as effective as weekly applications at normal dosage, 803
relationships between inherited resistance to early blight and to stem canker, 63
foot and root rot: predisposition of tomato to Fusarium oxysporum f. sp. lycopersici by Meloidogyne incognita found improbable, 251
fruit rot: anilazine and PCNB most effective for reducing tomato fruit rot, 811
ethephon alone, or with fungicides, reduces fruit rot infections, 106
gray mold: sporulation of Botrytis cinerea inhibited by using greenhouses made of UV-absorbing film, 1041
late blight: concentrated BAY 46131 "paint" controls late blight in Guatemala, 899
leaf roll: caused by interaction of the wilty gene and the tobacco mosaic virus, 500
southern stem blight: Sclerotium rolfsii physically controlled with household items, 341
stem canker: inherited resistance to early blight related to resistance to stem canker, 63
survey: major tomato transplant diseases in Georgia, 129
yellow vein viruslike disease: reported in Nigeria, 958
Trachycarpus fortunei: response of lethal decline to oxytetracycline injections, 154
Trichoderma:
harzianum: 687
viride: 76; 687
Trichodorus:
allius: 855
christiei: 1013
sp.: 919
spp.: 669
Trifolium:
pratense:
nematodes: response of germplasm to Ditylenchus dipsaci, 1060
viral diseases: use of inclusions for rapid diagnosis of virus diseases, 679
repens 'Kenland': Colletotrichum trifolii used for verifying genetic purity of seedlots, 425
repens 'Tillman': effect of virus infection on flowering and seed production of the parental clones of white clover, 203
Tsuga canadensis: Fabrella needlecast reported in Pennsylvania, 863
Tylenchorhynchus:
claytoni: 29
dubius: 328
nudus: 855
spp.: 669
Tylenchulus semipenetrans: 466; 669

Ulmus:
americana:
Dutch elm disease: possible usefulness of a new fungicide, XE-326s, and new injection equipment for control, 694
elm phloem necrosis: distribution in the U.S., 402
reported in Massachusetts, 626
spp.: a rapid screening technique for resistance in elms to the Dutch elm disease which utilizes a controlled environment, 238
Uncinula necator: 612
Uromyces phaseoli var. typica: 756
Ustilago maydis: 259

Vaccinium spp. (see Blueberry)
Veitchia merrillii (Adonidia merrillii): response of lethal decline to oxytetracycline-HCl injections, 154
Venturia inaequalis: 346
Verticicladiella:
procera: occurrence in Pennsylvania in 1976, 477
wagenerii: 419
Verticillium:
albo-atrum: 337
dahliae: 373; 909
changes in host specificity from Mentha spp. to potato in Indiana, 373

spp.: 337
theobromae: 797
Vicia faba:
corn stunt: spiroplasmas from infected corn transmitted to dicotyledons, 342
powdery mildew: best controlled by benomyl, 1051
Vigna:
spp.: transmission of Xanthomonas vignicola to cowpea and X. phaseoli to green gram in India, 390
unguiculata:
Cercospora leaf spot: reducing yield loss caused by Cercospora cruenta with benomyl and chlorothalonil, 741
mosaic diseases: identification and epidemiology of mosaic diseases affecting cowpea in Ceara, Brazil, 864
Vinca rosea (see Catharanthus roseus)
Viruses (general):
growth chambers used for rapid detection of viruses and virus-like diseases of grape, 567
rhabdovirus particles associated with a mosaic disease of Eleusine coracana, in India, 1029
three viruses isolated from asparagus in Washington, 398
viruses eliminated from citrus clones by grafting shoot-tips in vitro, 594
Viruses (specific):
alfalfa mosaic: 115; 393; 679
apple stem grooving: 20
barley yellow dwarf: 4; 815
bean pod mottle: 690
bean yellow mosaic: 243; 679; 690
beet curly top: 248
bidens mottle: 767
carnation mottle: 675
carrot motley dwarf: 217; 841
carrot thin leaf: 217; 841
celery mosaic: 905; 1025
citrus exocortis: 135
clover yellow vein: 203
cowpea mosaic: 864
cucumber mosaic: 332; 905
curly top: 88
Dweet mottle: 594
eggplant mosaic: 628
exocortis: 594
grapevine Bulgarian latent: 949
grapevine corky bark: 567
grapevine fanleaf: 567
grapevine fleck: 567
grapevine leafroll: 567
gynura virus: purification and some properties of a latent virus in gynura, 325
maize chlorotic dwarf: 179
maize dwarf mosaic: 179; 668; 724; 968
necrotic streak mosaic: 1017
oat blue dwarf: 280
Panicum mosaic: 60
pea common mosaic: 679
pea mosaic: 243
pea seedborne mosaic: 235
pea streak: 679
peanut stunt: 203; 637; 690
psorosis: 594
red clover vein mosaic: 679
red ringspot: 605
rice yellow mottle: 443
seedling yellows-tristeza: 594
soybean mosaic: 313; 690
squash mosaic: 167
sugarcane mosaic: 503; 724
tobacco etch: 146
tobacco mosaic: 500; 961; 1010
tobacco ringspot: 104; 167; 313
tobacco streak: 398
tomato ringspot: 20; 24; 931
tomato yellow vein: 958
turnip mosaic: 1074
vein enation: 594
watermelon mosaic: 167; 668; 1025
white clover mosaic: 203
yellow bud mosaic: 931
Vitis spp. (see Grape)

Walnut (see Juglans nigra)
Waterhyacinth: host specificity tests for Cercospora rodmanii, a possible biological control of waterhyacinth, 262
Watermelon: varied responses of four cucurbit viruses to an inhibitor isolated from watermelon, 167
Wheat:
Cephalosporium stripe: Cephalosporium gramineum reported as a seedborne pathogen of winter wheat, 619
Cercosporella foot rot: effects of stubble-mulch residue management on Cercosporella herpotrichoides and on yields of wheat, 96
glume blotch:
atypical form of Septoria nodorum confirmed in Pennsylvania, 867
benomyl reduces seed infestation by Septoria nodorum, 773
inhibition of seedborne fungi to permit studies of seed infestation by Septoria nodorum, 773
three applications of a zinc ion-maneb complex controls glume

blotch, 71
wheat resistance to Septoria nodorum and S. tritici, 632
leaf blotch: resistance to Septoria tritici and S. nodorum, 632
response of roots and shoot development to Septoria tritici, 597
leaf spot: pathogenicity and development of Septoria avenae f. sp. triticea on wheat, barley, and rye, 438
rust: Egyptian wheat breeding lines resistant to leaf, stem, and stripe rusts, 926
rust (leaf):
cultivar resistance in North Dakota in 1975 and 1976, 591
zinc ion-maneb complex controlled rust in three applications, 71
rust (stem):
races of Puccinia graminis f. sp. tritici found during 1976, 987
sources of primary inoculum of Puccinia graminis f. sp. tritici in India, 454
three applications of a zinc ion-maneb complex controlled the leaf phase of stem rust, 71
survey: foliar fungal diseases of wheat in the People's Republic of China in 1976, 836
wheat diseases in Zambia from 1973 to 1976, 953
yield: yields of healthy wheat not significantly affected by benomyl, carboxin, or thiabendazole, 1057
Whetzelinia (Sclerotinia) sclerotiorum: 226; 1036
Willow, cricket bat (see Salix alba var. caerulea)
Wilt:
Fusarium: banana, 15; safflower, 849; sweetpotato, 1
oak: 188; 201; 970; 972
spinach: 1067
Stewart's bacterial wilt of corn: 149; 413; 668; 1077
vascular stem: witchweed, 428
Verticillium: alfalfa, 337; grape, 909; potato, 373; 579
Witchweed (see Striga hermonthica)
Wound pathogens: controlling invading Hymenomycetes in wounds biologically, 687

X-disease of stone fruits: variation in infection rates of the X-disease agent on peach and chokecherry are caused, in part, by seasonal changes, 1022
Xanthomonas:
alfalfae: 565
campestris: 668
oryzae: 644
phaseoli: 390
vesicatoria: 129; 668; 684
vignicola: 390
Xiphinema:
americanum: 24; 328; 669; 949
bakeri: 277

Young tree decline (also see Sand hill decline, and Blight):
diagnosing citrus blight by using the concentrations of zinc and phenolic compounds in wood, 572
occurrence of blight in a rootstock experiment for studying exocortis in Marsh grapefruit, 717
rickettsialike bacterium found in trees afflicted with, 546

Zinnia elegans: zinnia yellow net disease, a new viral disease of zinnias and Ageratum conyzoides, 550
Zizania aquatica (see Rice, wild)

Prepared by Eric S. Mathis

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Beltsville, Maryland 20705

Official Business
Penalty for Private Use, $300

POSTAGE AND FEES PAID
United States Department of Agriculture
AGR 101
Special Fourth Class
Book Rate

U.S.MAIL

PDR UNIVE300UFISSDUE006R 1
UNIVERSITY MICROFILMS
SERIALS PROCESSING
300 N ZEEB RD
ANN ARBOR MI 48106